


Accessible Parking Space complying with FBC and ADA requirements



Typical Parking Space by Local Ordinance

Accessible Parking Space complying with FBC and ADA requirements

- Each parking space shall be posted with a fixed non-movable sign of color and design as approved by Florida Department of Transportation, bearing the internationally accepted wheelchair symbol and the caption "PARKING BY DISABLED PERMIT ONLY".
FS § 553.5041(6)
- Each parking space... must be posted with a permanent above-grade sign... which is placed on or at a distance of 84 inches above the ground to the bottom of the sign.
FS § 553.5041 (6)
- Each sign erected after October 1, 1996, must indicate the penalty for illegal use of the space.
FS § 553.5041 (6)
- Civil penalties of two hundred fifty dollars (\$250.00) may be assessed to persons for illegal stopping, standing or parking of any vehicle in, or obstructing any designated disabled parking space located in the City of Temple Terrace.
T.T. Sec. 20.215(d)(1) & (2) and (g)(2)
FS § 318.18(b)


VAN-ACCESSIBLE PARKING SPACES

One of eight accessible parking spaces, but at least one, must be van-accessible.

Van-accessible parking spaces are the same as accessible spaces for cars except for three features needed for vans:

1. a wider access (96") to accommodate wheelchair lifts
2. vertical clearance to accommodate van height at the parking space, the adjacent access aisle, and on the vehicular route to and from the van-accessible space.
3. an additional sign that identifies the space as "van accessible".

Signage



84"

